

---

# HL7 Conformance Profile

# ADT Inbound A42

---

**Copyright notice:**

Copyright 2020 AGFA HealthCare  
All rights reserved

Agfa, the Agfa rhombus, Point of Knowledge, and See More. Do More, ... (other trademarks) are trademarks of Agfa Gevaert N.V., Belgium or its affiliates. All other trademarks are held by their respective owners and are used in an editorial fashion with no intention of infringement.

The data in this publication are for illustration purposes only and do not necessarily represent standards or specifications which must be met by Agfa. All information contained herein is intended for guidance purposes only, and characteristics of the products described in this publication can be changed at any time without notice.

Products may not be available for your local area. Please contact your local sales representative for availability information.

Agfa diligently strives to provide as accurate information as possible, but shall not be responsible for any typographical error.

**Publication date:**

25 11 2020

**Publication number:**

Not yet assigned

**Corporate address:**

AGFA HealthCare  
SEPTESTRAAT 27  
B-2640 MORTSEL  
BELGIUM  
+32(3)4448400

## About this Conformance Profile

HL7Server5 - Release 2005.1.4 - Conformance profile ADT Inbound

History:

2005-11-05 - Creation - Nico Vannieuwenhuyze

Remarks:

When messages are received via HL7 MLLP (socket) HL7Server5 processes the message before sending an acknowledgement message. For certain events (eg A40) this can take a few seconds, so please configure the sending application to wait eg 180 seconds for an acknowledgment.

For more information on HL7 conformance profiles please consult HL7 ANSI standard chapter 2 and HL7 Implementation/Conformance Technical Committee documents at <http://www.hl7.org/special/committees/ictc/docs.cfm>

## Conformance parameters

### Message Profile

- HL7 Version: 2.4
- Profile Type: Constrainable
- Topics: confsig-AGFA/QUADRAT-2.4-profile-accNE\_accNE-Immediate

### Encoding Method

ER7

## Interaction 1

### Dynamic Definition

- Accept Acknowledgement: NE
- Application Acknowledgement: NE
- Acknowledgement Mode: Immediate

### Static Definition

- Event Description: ADT/ACK - Merge visit - visit number
- Message Type: ADT
- Trigger Event: A42
- Message Structure: ADT\_A39
- Topics: confsig-AGFA/QUADRAT-2.4-static-ADT-A42-null-ADT\_A39-2005.1.4--Receiver

### Message structure

MSH EVN { PID [PD1] MRG [PV1] }

### MSH - Message Header

- Usage: Required
- Cardinality:1..1

| Seq. | Name                     | Type   | Table   | Len. | Opt. | Card. | Contents          |
|------|--------------------------|--------|---------|------|------|-------|-------------------|
| 1    | Field Separator          | ST     |         | 1    | R    | 1..1  | e.g.              |
| 2    | Encoding Characters      | ST     |         | 4    | R    | 1..1  | e.g. ^~\&         |
| 3    | Sending Application      | HD     |         | 227  | R    | 1..1  |                   |
| 3.1  | namespace ID             | IS     |         | 50   | R    | ..    | e.g. HIS          |
| 4    | Sending Facility         | HD     |         | 227  | O    | 0..1  |                   |
| 4.1  | namespace ID             | IS     |         | 50   | O    | ..    | e.g. FACILITY1    |
| 7    | Date/Time Of Message     | TS     |         | 26   | R    | 1..1  |                   |
| 7.1  | Date/Time                | NM     |         | 24   | R    | ..    | e.g. 200511070945 |
| 9    | Message Type             | CM_MSG | HL70076 | 15   | R    | 1..1  |                   |
| 9.1  | message type             | ID     | HL70076 | 3    | R    | ..    | e.g. ADT          |
| 9.2  | trigger event            | ID     | HL70003 | 3    | R    | ..    | e.g. A42          |
| 9.3  | message structure        | ID     | HL70354 | 7    | O    | ..    | e.g. ADT_A39      |
| 10   | Message Control ID       | ST     |         | 20   | R    | 1..1  | e.g. 0000001      |
| 11   | Processing ID            | PT     |         | 3    | R    | 1..1  |                   |
| 11.1 | processing ID            | ID     | HL70103 | 3    | R    | ..    | e.g. P            |
| 12   | Version ID               | VID    | HL70104 | 973  | R    | 1..1  |                   |
| 12.1 | version ID               | ID     | HL70104 | 60   | R    | ..    | e.g. 2.4          |
| 18   | Character Set            | ID     | HL70211 | 16   | O    | 0..*  | e.g. 8859/1       |
| 21   | Conformance Statement ID | ID     |         | 10   | O    | 0..*  |                   |

#### 1. Field Separator

This field contains the separator between the segment ID and the first real field, MSH-2-encoding characters. As such it serves as the separator and defines the character to be used as a separator for the rest of the message.

Recommended value and used by Agfa is |, (ASCII 124).

#### 2. Encoding Characters

This field contains the four characters in the following order: the component separator, repetition

separator, escape character, and subcomponent separator.

Recommended values and used by Agfa Healthcare are ^~\&, (ASCII 94, 126, 92, and 38).

### 3. Sending Application

This field uniquely identifies the sending application among all other applications within the network enterprise. The network enterprise consists of all those applications that participate in the exchange of HL7 messages within the enterprise.

Entirely site-defined and a parameter for Agfa.

### 7. Date/Time Of Message

This field contains the date/time that the sending system created the message.

If the time zone is specified, it is expected to be the local time zone !

### 9. Message Type

Should be ADT^A01^ADT\_A01 for an admission notification

#### 9.3. message structure

Only used when input is hl7 v2.xml

### 10. Message Control ID

This field contains a number or other identifier that uniquely identifies the message. The receiving system echoes this ID back to the sending system in the Message acknowledgment segment (MSA).

#### 11.1. processing ID

No difference in processing by HL7SERVER5 if Production or Test

#### 12.1. version ID

Versions supported by HL7SERVER5 are 2.2, 2.3, 2.3.1, 2.4

### 18. Character Set

Character set has to be a subset of the Windows ANSI codepage of the pc where HL7SERVER5 is running !

e.g. ISO 8859/1 on a windows 1252 code page UTF-8 is not supported !

## EVN - Event Type

- Usage: Required

- Cardinality:1..1

| Seq. | Name               | Type | Table   | Len. | Opt. | Card. | Contents          |
|------|--------------------|------|---------|------|------|-------|-------------------|
| 1    | Event Type Code    | ID   |         | 3    | O    | 0..1  | e.g. A42          |
| 2    | Recorded Date/Time | TS   |         | 26   | R    | 1..1  |                   |
| 2.1  | Date/Time          | NM   |         | 24   | R    | ..    | e.g. 200511070945 |
| 4    | Event Reason Code  | IS   | HL70062 | 3    | O    | 0..1  | e.g. 2            |
| 6    | Event Occurred     | TS   |         | 26   | O    | 0..1  |                   |
| 6.1  | Date/Time          | NM   |         | 24   | R    | ..    | e.g. 200511070945 |

#### 1. Event Type Code

If empty the value is taken from MSH-9-1

#### 2. Recorded Date/Time

Only used when EVN-6 Event Occurred is empty

#### 6. Event Occurred

This field contains the date/time that the event actually occurred.

For example, on a transfer (A02 (transfer a patient)), this field would contain the date/time the patient was actually transferred. On a cancellation event, this field should contain the date/time that the event being

canceled occurred.

## **Segment group: G1R**

- Usage: Required
- Cardinality:1..\*

## **PID - Patient identification**

- Usage: Required
- Cardinality:1..1

| Seq.  | Name   | Type | Table   | Len. | Opt. | Card. | Contents       |
|-------|--|------|---------|------|------|-------|----------------|
| 2     | Patient ID   | CX   |         | 1913 | O    | 0..1  |                |
| 2.1   | ID   | ST   |         | 20   | O    | ..    | e.g. 1234567   |
| 3     | Patient Identifier List                            | CX   |         | 1913 | R    | 1..*  |                |
| 3.1   | ID   | ST   |         | 20   | R    | ..    | e.g. 1234567   |
| 3.2   | Check digit  | ST   |         | 200  | O    | ..    | e.g. 4         |
| 3.3   | code identifying the check digit scheme employed   | ID   | HL70061 | 200  | O    | ..    | e.g. M11       |
| 3.4   | assigning authority                                | HD   |         | 603  | O    | ..    |                |
| 3.4.1 | namespace ID                                       | IS   |         | 200  | O    | ..    | e.g. HIS1      |
| 3.4.2 | universal ID                                       | ST   |         | 200  | O    | ..    |                |
| 3.4.3 | universal ID type                                  | ID   |         | 200  | O    | ..    |                |
| 3.5   | identifier type code (ID)                          | ID   | HL70203 | 200  | O    | ..    | e.g. MR        |
| 3.6   | assigning facility                                 | HD   |         | 603  | O    | ..    |                |
| 3.6.1 | namespace ID                                       | IS   |         | 200  | O    | ..    | e.g. FACILITY1 |
| 3.6.2 | universal ID                                       | ST   |         | 200  | O    | ..    |                |
| 3.6.3 | universal ID type                                  | ID   |         | 200  | O    | ..    |                |
| 3.7   | effective date (DT)                                | DT   |         | 24   | O    | ..    | e.g. 20051107  |
| 3.8   | expiration date                                    | DT   |         | 24   | O    | ..    |                |
| 4     | Alternate Patient ID - PID                         | CX   |         | 1913 | O    | 0..1  |                |
| 4.1   | ID   | ST   |         | 20   | O    | ..    | e.g. 1234567   |
| 5     | Patient Name                                       | XPN  |         | 1103 | R    | 1..1  |                |
| 5.1   | family name  | FN   |         | 174  | O    | ..    |                |
| 5.1.1 | surname  | ST   |         | 30   | R    | ..    | e.g. Yarmey    |
| 5.2   | given name   | ST   |         | 30   | O    | ..    | e.g. Jane      |
| 5.3   | second and further given names or initials thereof | ST   |         | 30   | O    | ..    | e.g. C         |
| 5.4   | suffix (e.g., JR or III)                           | ST   |         | 15   | O    | ..    |                |
| 5.5   | prefix (e.g., DR)                                  | ST   |         | 100  | O    | ..    | e.g. DR .      |
| 6     | Mother's Maiden Name                               | XPN  |         | 1103 | O    | 0..1  |                |
| 6.1   | family name  | FN   |         | 174  | O    | ..    |                |
| 6.1.1 | surname  | ST   |         | 30   | O    | ..    |                |
| 7     | Date/Time Of Birth                                 | TS   |         | 26   | O    | 0..1  |                |
| 7.1   | Date/Time  | NM   |         | 24   | R    | ..    | e.g. 19931022  |
| 8     | Administrative Sex                                 | IS   | HL70001 | 1    | O    | 0..1  | e.g. F         |
| 9     | Patient Alias                                      | XPN  |         | 1103 | O    | 0..1  |                |
| 9.1   | family name  | FN   |         | 174  | O    | ..    |                |

| Seq.   | Name   | Type | Table   | Len. | Opt. | Card. | Contents                   |
|--------|--|------|---------|------|------|-------|----------------------------|
| 9.1.1  | surname  | ST   |         | 30   | O    | ..    | e.g. Simmons               |
| 9.2    | given name   | ST   |         | 15   | O    | ..    | e.g. Neil                  |
| 9.3    | second and further given names or initials thereof | ST   |         | 3    | O    | ..    |                            |
| 9.4    | suffix (e.g., JR or III)                           | ST   |         | 3    | O    | ..    |                            |
| 9.5    | prefix (e.g., DR)                                  | ST   |         | 30   | O    | ..    |                            |
| 9.6    | degree (e.g., MD)                                  | IS   | HL70360 | 3    | O    | ..    |                            |
| 9.7    | name type code                                     | ID   | HL70200 | 3    | O    | ..    | e.g. P                     |
| 9.8    | Name Representation code                           | ID   | HL70465 | 3    | O    | ..    |                            |
| 9.9    | name context                                       | CE   | HL70448 | 20   | O    | ..    |                            |
| 9.9.1  | identifier   | ST   |         |      | O    | ..    |                            |
| 9.9.2  | text   | ST   |         | 3    | O    | ..    |                            |
| 9.9.3  | name of coding system                              | IS   | HL70396 | 3    | O    | ..    |                            |
| 9.9.4  | alternate identifier                               | ST   |         | 3    | O    | ..    |                            |
| 9.9.5  | alternate text                                     | ST   |         | 3    | O    | ..    |                            |
| 9.9.6  | name of alternate coding system                    | IS   | HL70396 | 3    | O    | ..    |                            |
| 9.11   | name assembly order                                | ID   | HL70444 | 3    | O    | ..    |                            |
| 10     | Race   | CE   | HL70005 | 483  | O    | 0..1  |                            |
| 10.1   | identifier   | ST   |         | 40   | O    | ..    | e.g. 2106-3                |
| 11     | Patient Address                                    | XAD  |         | 631  | O    | 0..*  |                            |
| 11.1   | street address (SAD)                               | SAD  |         | 764  | O    | ..    |                            |
| 11.1.1 | street or mailing address                          | ST   |         | 254  | O    | ..    | e.g.<br>Kortrijksesteenweg |
| 11.1.2 | street name  | ST   |         | 254  | O    | ..    |                            |
| 11.1.3 | dwelling number                                    | ST   |         | 254  | O    | ..    |                            |
| 11.2   | other designation                                  | ST   |         | 254  | O    | ..    | e.g. 254                   |
| 11.3   | city   | ST   |         | 30   | O    | ..    | e.g. Sint Martens<br>Latem |
| 11.4   | state or province                                  | ST   |         | 20   | O    | ..    | e.g. OVL                   |
| 11.5   | zip or postal code                                 | ST   |         | 20   | O    | ..    | e.g. 9831                  |
| 11.6   | country  | ID   |         | 20   | O    | ..    | e.g. BE                    |
| 11.7   | address type                                       | ID   | HL70190 | 10   | O    | ..    | e.g. P                     |
| 13     | Phone Number - Home                                | XTN  |         | 850  | O    | 0..1  |                            |
| 13.1   | [(999)] 999-9999 [X99999][C any text]              | TN   |         | 30   | O    | ..    |                            |
| 13.3   | telecommunication equipment type (ID)              | ID   | HL70202 | 3    | O    | ..    | e.g. PH                    |
| 13.4   | Email address                                      | ST   |         |      | O    | ..    |                            |
| 13.5   | Country Code                                       | NM   |         | 15   | O    | ..    | e.g. 32                    |
| 13.6   | Area/city code                                     | NM   |         | 15   | O    | ..    | e.g. 3                     |
| 13.7   | Phone number                                       | NM   |         | 15   | O    | ..    | e.g. 4448150               |
| 13.8   | Extension  | NM   |         | 15   | O    | ..    | e.g. 500                   |
| 14     | Phone Number - Business                            | XTN  |         | 850  | O    | 0..1  |                            |
| 14.1   | [(999)] 999-9999 [X99999][C any text]              | TN   |         | 30   | O    | ..    | e.g. 024448150             |
| 14.3   | telecommunication equipment type (ID)              | ID   | HL70202 | 3    | O    | ..    |                            |
| 14.4   | Email address                                      | ST   |         |      | O    | ..    |                            |

| Seq.   | Name                        | Type | Table   | Len. | Opt. | Card. | Contents         |
|--------|-----------------------------|------|---------|------|------|-------|------------------|
| 14.5   | Country Code                | NM   |         |      | O    | ..    |                  |
| 14.6   | Area/city code              | NM   |         |      | O    | ..    |                  |
| 14.7   | Phone number                | NM   |         |      | O    | ..    |                  |
| 14.8   | Extension                   | NM   |         |      | O    | ..    |                  |
| 15     | Primary Language            | CE   |         | 483  | O    | 0..1  |                  |
| 15.1   | identifier                  | ST   |         | 20   | O    | ..    | e.g. EN          |
| 16     | Marital Status              | CE   | HL70002 | 483  | O    | 0..1  |                  |
| 16.1   | identifier                  | ST   |         | 10   | O    | ..    | e.g. M           |
| 17     | Religion                    | CE   | HL70006 | 483  | O    | 0..1  |                  |
| 17.1   | identifier                  | ST   |         | 40   | O    | ..    |                  |
| 17.2   | text                        | ST   |         | 40   | O    | ..    |                  |
| 18     | Patient Account Number      | CX   |         | 1913 | O    | 0..1  |                  |
| 18.1   | ID                          | ST   |         | 30   | O    | ..    | e.g. 2590852     |
| 18.4   | assigning authority         | HD   |         | 257  | O    | ..    |                  |
| 18.4.1 | namespace ID                | IS   |         | 50   | O    | ..    | e.g. HIS1        |
| 18.7   | effective date (DT)         | DT   |         | 24   | O    | ..    | e.g. 20051107    |
| 18.8   | expiration date             | DT   |         | 24   | O    | ..    |                  |
| 19     | SSN Number - Patient        | ST   |         | 50   | O    | 0..1  | e.g. 19931022175 |
| 21     | Mother's Identifier         | CX   |         | 1913 | O    | 0..1  |                  |
| 21.1   | ID                          | ST   |         | 40   | O    | ..    | e.g. 1234560     |
| 22     | Ethnic Group                | CE   | HL70189 | 483  | O    | 0..1  |                  |
| 22.1   | identifier                  | ST   |         | 40   | O    | ..    |                  |
| 23     | Birth Place                 | ST   |         | 30   | O    | 0..1  | e.g. Deinze      |
| 24     | Multiple Birth Indicator    | ID   | HL70136 | 1    | O    | 0..1  | e.g. Y           |
| 25     | Birth Order                 | NM   |         | 2    | O    | 0..1  | e.g. 2           |
| 26     | Citizenship                 | CE   | HL70171 | 483  | O    | 0..1  |                  |
| 26.1   | identifier                  | ST   |         | 20   | O    | ..    | e.g. BE          |
| 28     | Nationality                 | CE   | HL70212 | 483  | O    | 0..1  |                  |
| 28.1   | identifier                  | ST   |         | 20   | O    | ..    | e.g. BE          |
| 29     | Patient Death Date and Time | TS   |         | 26   | O    | 0..1  |                  |
| 29.1   | Date/Time                   | NM   |         | 24   | O    | ..    |                  |
| 30     | Patient Death Indicator     | ID   | HL70136 | 1    | O    | 0..1  | e.g. N           |

## 2. Patient ID

Please use PID-3 and map them using the parameters PIDDomainForCode, PIDDomainForHISCode ... to the PATIENTS.xxx columns

## 3. Patient Identifier List

Patient Identifier (list) which UNIQUELY identifies a single patient.

Combination of components ID and Assigning Authority should be sufficient to UNIQUELY identify a patient.

### 3.4. assigning authority

Authority/System that generated the patient identifier

### 3.6. assigning facility

Facility in which the patient identifier was generated

---

**4. Alternate Patient ID - PID**

Please use PID-3 and map them using the parameters PIDDomainForCode, PIDDomainForHISCode ... to the PATIENTS.xxx columns

**5. Patient Name**

Patient name - no repetitions allowed!

**6. Mother's Maiden Name**

Sometimes used in France to exchange the patients maiden name

**7. Date/Time Of Birth**

Patient birth date - is a required field in the RIS database

**9. Patient Alias**

ONLY TYPE P is supported and only when COUNTRY - COUNTRY parameter is N and ApplyCountrySpecificNameRules is true

**11. Patient Address**

The occurrence that has an address type (PID-11-7) of P or M or blank is considered the main address and is stored in the PATIENTS table.

ALL occurrences are stored in PAT\_ADDRESSES.

**11.2. other designation**

If 11.1.3 (Dwelling Number) is not filled. This value is taken into account. If the value starts with a number and smaller than 15 characters, it will be used as for patients.p\_straatnr column, otherwise the value will be appended to the patients.p\_straat column.

**11.6. country**

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

**11.7. address type**

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

**13. Phone Number - Home**

Patients primary phone number - only the first occurrence is used !

**13.1. [(999)] 999-9999 [X99999][C any text]**

RIS version < 560: max length = 15. If PID 13.5 is filled.

PID13.1 is ignored and only PID 13.5, 13.6, 13.7 and 13.8 are used.

**14. Phone Number - Business**

Additional (second) phone number

**14.1. [(999)] 999-9999 [X99999][C any text]**

RIS version < 560: max length = 15. If PID 14.5 is filled.

PID14.1 is ignored and only PID 14.5, 14.6, 14.7 and 14.8 are used.

**16.1. identifier**

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

**18. Patient Account Number**

Account number (billing) will be linked to the visit number (PV1-19).

In a multi-site environment with multiple HIS systems, make sure that the component Assigning Authority is provided !

**19. SSN Number - Patient**



Social security number

## 21. Mother's Identifier

ID of the mother in case of a newborn

## 28. Nationality

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## **PD1 - patient additional demographic**

- Usage: Optional
- Cardinality: 0..1
- Implementation note: Additional patient information like primary care physician

| Seq.  | Name  | Type | Table   | Len. | Opt. | Card. | Contents  |
|-------|---|------|---------|------|------|-------|-----------|
| 4     | Patient Primary Care Provider Name & ID No. | XCN  |         | 3002 | O    | 0..1  |           |
| 4.1   | ID number (ST)                              | ST   |         | 20   | O    | ..    | e.g. 1282 |
| 4.2   | family name                                 | FN   |         | 184  | O    | ..    |           |
| 4.2.1 | surname                                     | ST   |         | 40   | O    | ..    | e.g. Pew  |
| 4.3   | given name                                  | ST   |         | 30   | O    | ..    | e.g. John |
| 11    | Publicity Code                              | CE   | HL70215 | 483  | O    | 0..1  |           |
| 11.1  | identifier                                  | ST   |         | 40   | O    | ..    | e.g. EMP  |

### 4.1. ID number (ST)

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## 11. Publicity Code

Used to indicate that a patient is a member of the facility personnel

### 11.1. identifier

Only EMP supported

## **MRG - Merge patient information**

- Usage: Required
- Cardinality:1..1

| Seq.  | Name                          | Type | Table   | Len. | Opt. | Card. | Contents       |
|-------|-------------------------------|------|---------|------|------|-------|----------------|
| 1     | Prior Patient Identifier List | CX   |         | 1913 | R    | 1..*  |                |
| 1.1   | ID                            | ST   |         | 20   | R    | ..    | e.g. 52525352  |
| 1.4   | assigning authority           | HD   |         | 407  | O    | ..    |                |
| 1.4.1 | namespace ID                  | IS   |         | 200  | O    | ..    | e.g. HIS1      |
| 1.6   | assigning facility            | HD   |         | 407  | O    | ..    |                |
| 1.6.1 | namespace ID                  | IS   |         | 200  | O    | ..    | e.g. FACILITY1 |
| 5     | Prior Visit Number            | CX   |         | 1913 | R    | 1..1  |                |
| 5.1   | ID                            | ST   |         | 20   | R    | ..    | e.g. 5329525   |
| 5.4   | assigning authority           | HD   |         | 208  | O    | ..    |                |
| 5.4.1 | namespace ID                  | IS   |         | 200  | O    | ..    | e.g. HIS1      |
| 5.4.2 | universal ID                  | ST   |         | 3    | O    | ..    |                |
| 5.4.3 | universal ID type             | ID   | HL70301 | 3    | O    | ..    |                |

## PV1 - Patient visit

- Usage: Optional
- Cardinality: 0..1

| Seq.   | Name                      | Type | Table   | Len. | Opt. | Card. | Contents          |
|--------|---------------------------|------|---------|------|------|-------|-------------------|
| 1      | Set ID - PV1              | SI   |         | 4    | O    | 0..1  | e.g. 1            |
| 2      | Patient Class             | IS   | HL70004 | 1    | R    | 1..1  | e.g. I            |
| 3      | Assigned Patient Location | PL   |         | 1230 | O    | 0..1  |                   |
| 3.1    | point of care             | IS   |         | 25   | O    | ..    | e.g. U31          |
| 3.2    | room                      | IS   |         | 8    | O    | ..    | e.g. 310          |
| 3.3    | bed                       | IS   |         | 25   | O    | ..    | e.g. A            |
| 3.4    | facility (HD)             | HD   |         | 223  | O    | ..    |                   |
| 3.4.1  | namespace ID              | IS   |         | 15   | O    | ..    | e.g. FACILITY1    |
| 4      | Admission Type            | IS   |         | 2    | O    | 0..1  | e.g. R            |
| 6      | Prior Patient Location    | PL   |         | 1230 | O    | 0..1  |                   |
| 6.1    | point of care             | IS   | HL70302 | 3    | O    | ..    |                   |
| 7      | Attending Doctor          | XCN  | HL70010 | 3002 | O    | 0..1  |                   |
| 7.1    | ID number (ST)            | ST   |         | 15   | O    | ..    | e.g. 759          |
| 7.2    | family name               | FN   |         | 184  | O    | ..    |                   |
| 7.2.1  | surname                   | ST   |         | 40   | O    | ..    | e.g. Rudjord      |
| 7.3    | given name                | ST   |         | 30   | O    | ..    | e.g. Anders       |
| 8      | Referring Doctor          | XCN  | HL70010 | 3002 | O    | 0..1  |                   |
| 8.1    | ID number (ST)            | ST   |         | 15   | O    | ..    | e.g. 1282         |
| 8.2    | family name               | FN   |         | 184  | O    | ..    |                   |
| 8.2.1  | surname                   | ST   |         | 40   | O    | ..    | e.g. Blichfeldt   |
| 8.3    | given name                | ST   |         | 30   | O    | ..    | e.g. Erik         |
| 9      | Consulting Doctor         | XCN  | HL70010 | 3002 | O    | 0..1  |                   |
| 9.1    | ID number (ST)            | ST   |         | 15   | O    | ..    |                   |
| 9.2    | family name               | FN   |         | 184  | O    | ..    |                   |
| 9.2.1  | surname                   | ST   |         | 40   | O    | ..    |                   |
| 9.3    | given name                | ST   |         | 30   | O    | ..    |                   |
| 10     | Hospital Service          | IS   |         | 10   | O    | 0..1  | e.g. MED          |
| 16     | VIP Indicator             | IS   | HL70099 | 2    | O    | 0..1  | e.g. N            |
| 18     | Patient Type              | IS   |         | 10   | O    | 0..1  | e.g. H1           |
| 19     | Visit Number              | CX   |         | 1913 | R    | 1..1  |                   |
| 19.1   | ID                        | ST   |         | 20   | R    | ..    | e.g. 200411143    |
| 19.4   | assigning authority       | HD   |         | 258  | O    | ..    |                   |
| 19.4.1 | namespace ID              | IS   |         | 50   | O    | ..    | e.g. HIS1         |
| 20     | Financial Class           | FC   |         | 47   | O    | 0..1  |                   |
| 20.1   | Financial Class           | IS   |         | 10   | O    | ..    | e.g. 4            |
| 21     | Charge Price Indicator    | IS   | HL70032 | 10   | O    | 0..1  | e.g. 1            |
| 44     | Admit Date/Time           | TS   |         | 26   | O    | 0..1  |                   |
| 44.1   | Date/Time                 | NM   |         | 24   | R    | ..    | e.g. 200511070945 |
| 45     | Discharge Date/Time       | TS   |         | 26   | O    | 0..1  |                   |
| 45.1   | Date/Time                 | NM   |         | 24   | O    | ..    |                   |

| Seq. | Name               | Type | Table   | Len. | Opt. | Card. | Contents          |
|------|--------------------|------|---------|------|------|-------|-------------------|
| 47   | Total Charges      | NM   |         | 10   | O    | 0..1  | e.g. 1000         |
| 50   | Alternate Visit ID | CX   | HL70203 | 1913 | O    | 0..1  |                   |
| 50.1 | ID                 | ST   |         | 50   | O    | ..    | e.g. 200411143_01 |

## 2. Patient Class

Important field !

Can be mapped to specific patient class in RIS.

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

### 3.1. point of care

Care unit where the patient resides.

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

### 3.4. facility (HD)

Facility where the patient resides - encouraged to use this field - certainly in a multi-site implementation.

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## 6. Prior Patient Location

Only used for lookup of prior transfer - not stored in the database

### 6.1. point of care

Only used for lookup of prior transfer - not stored in the database

### 7.1. ID number (ST)

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

### 8.1. ID number (ST)

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## 9. Consulting Doctor

Stored as patient related physician - NOT linked to the visit

### 9.1. ID number (ST)

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## 18. Patient Type

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

## 19. Visit Number

Required field for Agfa RIS when exchanging visit information Identifier generated per patient stay in a facility.

In a multi-site environment with multiple HIS systems make sure the component Assigning Authority is provided

### 19.4. assigning authority

Encouraged to use this component in a multi-site environment

## 20. Financial Class

Paymode linked to the visit - can be mapped to a QDoc paymode.

---

In a multi-site environment with multiple HIS systems, make sure that each HIS is using the same code-set.

**44. Admit Date/Time**

Admission date/time

**47. Total Charges**

Stored as patient extra info

**50. Alternate Visit ID**

Can be used to uniquely identify a TRANSFERS record - requires specific parameter settings

***End of segment group G1R***